



WATER FLOW CHART SERIES 267/277

	Tested by DEAH	Date 2016-08-15	Ref. no. PP5007	Test tube 1/4"	Flow direct. Coupling to Nipple
Temp. 20 °C	Kv: 0,42	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 267 1200		10 267 6200		
Connection	G1/4" female (BSP)		G1/4" female (BSP)		
Remark	-		-		




WATER FLOW CHART SERIES 267/277

	Tested by DEAH	Date 2016-08-15	Ref. no. PP5007	Test tube 1/4"	Flow direct. Nipple to Coupling
Temp. 20 °C	Kv: 0,41	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 267 1200		10 267 6200		
Connection	G1/4" female (BSP)		G1/4" female (BSP)		
Remark	-		-		



WATER FLOW CHART SERIES 267/277

	Tested by DEAH	Date 2016-08-15	Ref. no. PP5007	Test tube 1/4"	Flow direct. Coupling to Nipple
Temp. 72 °F	Cv: 0,49	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 267 1200		10 267 6200		
Connection	G1/4" female (BSP)		G1/4" female (BSP)		
Remark	-		-		



WATER FLOW CHART SERIES 267/277

	Tested by DEAH	Date 2016-08-15	Ref. no. PP5007	Test tube 1/4"	Flow direct. Nipple to Coupling
Temp. 72 °C	Cv: 0,47	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 267 1200		10 267 6200		
Connection	G1/4" female (BSP)		G1/4" female (BSP)		
Remark	-		-		

