



WATER FLOW CHART SERIES 467/477

	Tested by DEAH	Date 2016-08-16	Ref. no. PP5009	Test tube 1/4"	Flow direct. Coupling to Nipple
Temp. 20 °C	Kv: 1,00	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 467 1200		10 467 6200		
Connection	G3/8" male (BSP)		G3/8" male (BSP)		
Remark	-		-		




WATER FLOW CHART SERIES 467/477

	Tested by DEAH	Date 2016-08-16	Ref. no. PP5009	Test tube 1/4"	Flow direct. Nipple to Coupling
Temp. 20 °C	Kv: 1,02	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 467 1200		10 467 6200		
Connection	G3/8" male (BSP)		G3/8" male (BSP)		
Remark	-		-		



WATER FLOW CHART SERIES 467/477

	Tested by DEAH	Date 2016-08-16	Ref. no. PP5009	Test tube 1/4"	Flow direct. Coupling to Nipple
Temp. 72 °F	Cv: 1,16	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 467 1200		10 467 6200		
Connection	G3/8" male (BSP)		G3/8" male (BSP)		
Remark	-		-		



WATER FLOW CHART SERIES 467/477

	Tested by DEAH	Date 2016-08-16	Ref. no. PP5009	Test tube 1/4"	Flow direct. Nipple to Coupling
Temp. 72 °C	Cv: 1,18	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 467 1200		10 467 6200		
Connection	G3/8" male (BSP)		G3/8" male (BSP)		
Remark	-		-		

