



WATER FLOW CHART SERIES 987

	Tested by DEAH	Date 2021-08-20	Ref. no. 6582	Test tube 1 1/2"	Flow direct. Coupling to Nipple
Temp. 20 °C	Kv: 40,0	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 987 1273		10 987 6223		
Connection	G 1 1/2"(BSP) male		G 1 1/2"(BSP) female		
Remark	-		-		




WATER FLOW CHART SERIES 987

	Tested by DEAH	Date 2021-08-20	Ref. no. 6582	Test tube 1 1/2"	Flow direct. Nipple to Coupling
Temp. 20 °C	Kv: 42,6	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 987 1273		10 987 6223		
Connection	G 1 ½"(BSP) male		G 1 ½"(BSP) female		
Remark	-		-		



WATER FLOW CHART SERIES 987

	Tested by DEAH	Date 2021-08-20	Ref. no. 6582	Test tube 1 1/2"	Flow direct. Coupling to Nipple
Temp. 72 °F	Cv: 46,2	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 987 1273		10 987 6223		
Connection	G 1 1/2"(BSP) male		G 1 1/2"(BSP) female		
Remark	-		-		



WATER FLOW CHART SERIES 987

	Tested by DEAH	Date 2021-08-20	Ref. no. 6582	Test tube 1 1/2"	Flow direct. Nipple to Coupling
Temp. 72 °C	Cv: 49,5	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 987 1273		10 987 6223		
Connection	G 1 1/2"(BSP) male		G 1 1/2"(BSP) female		
Remark	-		-		

