



WATER FLOW CHART SERIES 153 UQD B -08

	Tested by DEAH	Date 2024-02-26	Ref. no. 7232	Test tube 1/2" / 3/4"	Flow direct. Coupling to Nipple
Temp. 20 °C	Kv: 3,29	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1928		10 153 6928		
Connection	1 1/16"-12 UNF male ORB -12		7/8"-14 UNF male ORB -10		
Remark			-		




WATER FLOW CHART SERIES 153 UQD B -08

	Tested by DEAH	Date 2024-02-26	Ref. no. 7232	Test tube 1/2"/ 3/4"	Flow direct. Nipple to Coupling
Temp. 20 °C	Kv: 4,02	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1928		10 153 6928		
Connection	1 1/16"-12 UNF male ORB -12		7/8"-14 UNF male ORB -10		
Remark	-		-		



WATER FLOW CHART SERIES 153 UQD B -08

	Tested by DEAH	Date 2024-02-26	Ref. no. 7232	Test tube 1/2" / 3/4"	Flow direct. Coupling to Nipple
Temp. 72 °F	Cv: 3,80	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1928		10 153 6928		
Connection	1 1/16"-12 UNF male ORB -12		7/8"-14 UNF male ORB -10		
Remark	-		-		



WATER FLOW CHART SERIES 153 UQD B -08

	Tested by DEAH	Date 2024-02-26	Ref. no. 7232	Test tube 1/2"/ 3/4"	Flow direct. Nipple to Coupling
Temp. 72 °F	Cv: 4,64	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1928		10 153 6928		
Connection	1 1/16"-12 UNF male ORB - 12		7/8"-14 UNF male ORB -10		
Remark	-		-		

