



WATER FLOW CHART SERIES 153 UQD -06

	Tested by DEAH	Date 2024-02-01	Ref. no. 7187	Test tube 1/2"	Flow direct. Coupling to Nipple
Temp. 20 °C	Kv: 1,43	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1026/ (-1046)		10 153 6676/ (-6696)		
Connection	Hose 1/2" Cejn-Lock		3/4"-16 UNF male ORB -08		
Remark			-		




WATER FLOW CHART SERIES 153 UQD -06

	Tested by DEAH	Date 2024-02-01	Ref. no. 7187	Test tube 1/2"	Flow direct. Nipple to Coupling
Temp. 20 °C	Kv: 1,68	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1026/ (-1046)		10 153 6676/ (-6696)		
Connection	Hose 1/2" Cejn-Lock		3/4"-16 UNF male ORB -08		
Remark	-		-		



WATER FLOW CHART SERIES 153 UQD -06

	Tested by DEAH	Date 2024-02-01	Ref. no. 7187	Test tube 1/2"	Flow direct. Coupling to Nipple
Temp. 72 °F	Cv: 1,65	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1026/ (-1046)		10 153 6676/ (-6696)		
Connection	Hose 1/2" Cejn-Lock		3/4"-16 UNF male ORB -08		
Remark	-		-		



WATER FLOW CHART SERIES 153 UQD -06

	Tested by DEAH	Date 2024-02-01	Ref. no. 7187	Test tube 1/2"	Flow direct. Nipple to Coupling
Temp. 72 °F	Cv: 1,94	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1026/ (-1046)		10 153 6676/ (-6696)		
Connection	Hose 1/2" Cejn-Lock		3/4"-16 UNF male ORB -08		
Remark	-		-		

