



WATER FLOW CHART SERIES 153 UQD -08

	Tested by DEAH	Date 2024-02-12	Ref. no. 7200	Test tube 1/2"	Flow direct. Coupling to Nipple
Temp. 20 °C	Kv: 3,45	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1028/ (-1048)		10 153 6678/ (-6698)		
Connection	Hose 5/8" Cejn-Lock		7/8"-14 UNF male ORB -10		
Remark			-		




WATER FLOW CHART SERIES 153 UQD -08

	Tested by DEAH	Date 2024-02-12	Ref. no. 7200	Test tube 1/2"	Flow direct. Nipple to Coupling
Temp. 20 °C	Kv: 3,98	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1028/ (-1048)		10 153 6678/ (-6698)		
Connection	Hose 5/8" Cejn-Lock		7/8"-14 UNF male ORB -10		
Remark	-		-		



WATER FLOW CHART SERIES 153 UQD -08

	Tested by DEAH	Date 2024-02-12	Ref. no. 7200	Test tube 1/2"	Flow direct. Coupling to Nipple
Temp. 72 °F	Cv: 3,99	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1028/ (-1048)		10 153 6678/ (-6698)		
Connection	Hose 5/8" Cejn-Lock		7/8"-14 UNF male ORB -10		
Remark	-		-		



WATER FLOW CHART SERIES 153 UQD -08

	Tested by DEAH	Date 2024-02-12	Ref. no. 7200	Test tube 1/2"	Flow direct. Nipple to Coupling
Temp. 72 °F	Cv: 4,60	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 153 1028/ (-1048)		10 153 6678/ (-6698)		
Connection	Hose 5/8" Cejn-Lock		7/8"-14 UNF male ORB -10		
Remark	-		-		

